
AD-A180 220 PURCHASE OF A VAX 11/750 COMPUTER(U) NORTH DAKOTA STATE 1/1
UNIV FARCO DEPT OF CHEMISTRY M GORDON SEP 86
UNCLASSIFIED F/G 12/6 NL

1. 8 1. Main 1. Main 1. Main 1. Main



MICROCOPY RESOLUTION TEST CHART NATIONAL BUREAU OF STANDARDS-1963-A

...

المعرفة والمراكز المراكز المرا

in the second of the second of

OTIC FILE COET

Unclassified

ECUBITY CLASSIFICATION OF THIS PAGE



SECURITY CLASSIFICATION OF THIS PAGE					
	REPORT DOCUM	ENTATION PAG	Ε		
1a. REPORT SECURITY CLASSIFICATION Unclassified	_	16. RESTRICTIVE	MARKINGS		
20	3. DISTRIBUTION/AVAILABILITY OF REPORT				
a		Approved fo unlimited	r public re	elease; dist	ribution
- AD-A180 22	0 —	5. MONITORING OF	CANIZA TIONA	פייטן יצייטייץ	S)
64 NAME OF PERFORMING ORGANIZATION North Dakota State University	8b. OFFICE SYMBOL (If applicable)	78. NAME OF MONITORING ORGANIZATION			
Sc. ADDRESS (City, State and ZIP Code)		AFOSR/NC 7b. ADDRESS (City, State and ZIP Code)			
Department of Chemistry Fargo ND 58105	Bldg 410 Bolling AFB DC 20332-6448				
86. NAME OF FUNDING/SPONSORING 8b. OFFICE SYMBOL ORGANIZATION (If applicable)		9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER			
AFOSR NC		JAF0SR-84-0248			
Ac. ADDRESS (City, State and ZIP Code) Bldg 410		10. SOURCE OF FUNDING NOS.			
Bolling AFB DC 20332-6448		PROGRAM ELEMENT NO.	PROJECT NO.	TASK NO.	WORK UNIT
11. TITLE (Include Security Classification)		61102F	2917	A2	
Purchase of a VAX 11/750 Comput					
12. PERSONAL AUTHOR(S) Mark Gordon					
13a. TYPE OF REPORT 13b. TIME C	14. DATE OF REPORT (Yr., Mo., Day) 15. PAGE COUNT				
Final FROM TO 16. SUPPLEMENTARY NOTATION		86 09 3			
17. COSATI CODES	18. SUBJECT TERMS (Continue on reverse if n	ecessary and ident	ify by block numbe	r)
FIELD GROUP SUB. GR.					
					
19. ABSTRACT (Continue on reverse if necessary and The purchase and utilization Research Instrumentation Progra	of a VAX 11/		under the	: DOD Unive	ersity
20. DISTRIBUTION/AVAILABILITY OF ABSTRAC				DTIC LECTE MAY 0 5 198 E	D
UNCLASSIFIED/UNLIMITED SAME AS RPT. DTIC USERS		21. ABSTRACT SECURITY CLASSIFICATION Unclassified			
B. NAME OF RESPONSIBLE INDIVIDUAL	22b. TELEPHONE NUMBER 22c. OFFICE SYMBOL (Include Arec Code)				
Anthony J. Matuszko	(202) 767-		NC NC		
EODM 1472 02 ADD					

PURCHASE OF A VAX 11/750 COMPUTER

FINAL REPORT

Mark S. Gordon
Department of Chemistry
North Dakota State University

NA FORCE OF FICE OF SCIENTIFIC RESEARCH (ARSC)

NOTICE OF TREASURE IN DIVISION

THE STATE OF THE SCIENT PARTY AND THE SCHOOL OF THE SCIENT PARTY AND THE SCHOOL OF THE SCH

Approved for public release;

A-1	Special	
Dist	Avail and/or Special	
	lability Codes]
Distr	ibution/	
By		DOPY
	fication	THE REAL PROPERTY.
Unann	ounced []	
DTIC	TAB 4	ļ
NTIS	GRA&I	7
Acces	sion For	1

(-1-)

The VAX 11/750 was purchased from Digital Electronics in the Spring of 1985. According to our benchmarks using GAUSSIAN82 and GAMESS, the VAX throughput is approximately 1/13th of an IBM 3081. The reliability of the computer has been excellent. In the approximately 18 months since the computer was obtained, there has been virtually no down time, except for that caused by air conditioning failure or to install software updates. This has allowed us to run jobs which require several CPU days to be completed. This would clearly be impossible on any campus machine. The system has 900 megabytes of disk storage, and the main memory has been upgraded to 8 megabytes. This allows us to perform calculations on very large molecules. Because it is so easy to use the VAX VMS operating system, nearly all of our program development is performed on the VAX. This includes improvements in GAMESS and GAUSSIAN82, as well as development of new programs. Particular projects to which the VAX has been applied include:

- 1. Evaluation of Pi Bond Energies. Using MCSCF wavefunctions and the 3-21G(d) basis set, we have evaluated the strength of the pi bonds in $H_{\Pi}A=BH_{\Pi}$ compounds, with A,B = C, N, Si, and P. This is accomplished by rotating each molecule about the AB bond, thereby breaking the pi bond. We find that the abilities of C and N to form pi bonds are approximately equal, while that of P is much smaller and that of Si is smaller still. A paper (M.W. Schmidt and M.S. Gordon) on this work will be submitted shortly to the Journal of the American Chemical Society.
- 2. Phosphorus Clusters. An earlier semi-empirical paper had concluded that cubic P_8 is stable relative to two tetragonal P_4 molecules, even though this appeared to be contrary to available experimental evidence. Our <u>ab initio</u> calculations, including second order perturbation theory (MP2) corrections, predict P_8 to be a minimum on the potential energy surface, but, in agreement with experiment, much less stable than two P_4 's. This work has been published (M.W. Schmidt and M.S. Gordon, Inorg. Chem.,
- 3. Highly Strained Ring Compounds. We have embarked on a systematic investigation of strained rings containing one or more silicon atoms and their carbon analogs. The VAX has been used to study a series of bicyclobutanes containing 0-4 silicon atoms, and their unsaturated monocyclic analogs. The most unusual structures occur in the compounds with two silicons. When the bridge bond is CC, the CC bond length is 1.75A, to our knowledge the longest CC bond known. On the other hand, in an isomeric structure the bridging SiSi bond is 2.11A. This is shorter than a typical silicon-silicon double bond! However, when the curved nature of this bond is taken into account, it lengthens considerably. In most cases, the monocyclic isomers are more stable, but this is not so for the tetrasila species. We are now proceeding to evaluate the ring strain in these compounds, as well as their heats of formation.
- 4. Basis Sets. As the first step in developing improved basis sets for main group elements, we have been evaluating existing basis sets for these atoms. We have systematically compared Hehre's STO-3G and Huzinaga's MINI basis sets for 3rd, 4th, and 5th period main group elements by calculating geometries for small molecules containing these elements. When MINI is properly scaled, it produces geometries which are more accurate than those from STO-3g in a least squares sense. However, the difference between the accuracy of these two minimal basis sets is probably not enough to offset the greater efficiency of STO-3G. At the other end of the spectrum, we have predicted the heats of formation of simple

third period hydrides using the McLean-Chandler basis sets and fourth order perturbation theory. The rms error in predicted heats of formation is only 4 kcal/mol. This is better than the triple zeta basis set used by Pople and co-workers for the analogous second period hydrides. These results have just been submitted to J. Phys. Chem. (M.S. Gordon and J. Heitzinger)

5. Population Analysis. Weinhold has recently developed an alternative to the Mulliken population analysis, using natural atomic orbitals. The new procedure has been tested on our VAX by systematically analyzing AH_{n} , closed shells and radicals, AH_{n-1}^{-1} cations and AH_{n-1}^{-1} anions. Preliminary results suggest that the basis set dependence of the new analysis is much more stable than that for the Mulliken analysis.

